

## Wood chip quality & size specifications

### Specifications

All wood chips are intended for the production of chemical pulp and meet the following requirements:

- (a) Fibreco's wood chips are substantially free from char, plastic and other foreign material and may contain not more than 1% bark nor more than 1% rot by green weight.
  
- (b) Wood chips are screened before delivery into rail cars/trucks/barges to produce conformity with the limits of size set forth below, as measured in accordance with TAPPI standards T16ts-61 using the screen sizes for nominal 3/4" wood chips:

	<u>Percentage Content Allowed Per Delivery</u>
Over 1 1/8"	Maximum 5%
Between 1 1/8" and 3/16"	Minimum 90%
Under 3/16"	Maximum 5%

Fibreco engages an independent testing agency to determine the degree of conformity with the above specifications. Analysis of the wood chips is done through representative average sampling by way of Williams Chip Classification at the time of each eight-hour sample.

